

1.	GENERAL INFORMATION		
1.1	Date updated:	Apr 1 st , 2021	
1.2	Vessel's name (IMO number):	Caribe Maria (9337286)	
1.3	Vessel's previous name(s) and date(s) of change:	Harbour Kira (Jan 05, 2016) CLIPPER KIRA (Feb 08, 2012)	
1.4	Date delivered/Builder (where built):	Jan 19, 2007/STX Shipbuilding, Busan, South Korea	
1.5	Flag/Port of Registry:	Liberia/Monrovia	
1.6	Call sign/MMSI:	D5KK2/636017331	
1.7	Vessel's contact details (satcom/fax/email etc.):	Tel: + 870773912541/+ 870771307878 Fax: + 870783996538 Email: caribe-maria@super-hub.com	
1.8	Type of vessel (as described in Form A or Form B Q1.11 of the IOPPC):	Chemical	
1.9	Type of hull:	Double Hull	
Ownership and Operation			
1.10	Registered owner - Full style:	Parchem III TT AS C/O Pareto Business Management AS Dronning Mauds Gate 3 Oslo 0250 Norway	
1.11	Technical operator - Full style:	Columbia Shipmanagement Ltd. 21 Spyrou Kiprianou Avenue, Yermasoyia, 4042 Limassol Cyprus Tel: +357 25320900 Email: vetting@csmcy.com Company IMO#: 0778064	
1.12	Commercial operator - Full style:	Caribe Tankers Inc. 2202-B West Alabama Street, Houston Texas 77098 United States Tel: +1 713 807 9900 Email: ops@caribetankers.us	
1.13	Disponent owner - Full style:	Caribe Tankers LTD Trust Company Complex Ajeltake Road, Ajeltake Island Majuro, Marshall Islands, MH 96960	
Insurance			
1.14	P & I Club - Full Style:	UK P&I Club/ Thomas Miller P&I (Europe) Ltd. 90 Fenchurch Street London EC3M 4ST Tel: +44 (0) 207283 4646 Fax: +44 (0) 207621 9761 Email: underwriting.ukclub@thomasmiller.com Web: www.ukpandi.com	
1.15	P & I Club pollution liability coverage/expiration date:	1,000,000,000 US\$	Feb 20, 2022
1.16	Hull & Machinery insured by - Full Style: (Specify broker or leading underwriter)	Vilmar International S.A. 8-10 Sachtouri Str, 18537 Piraeus, Greece Tel: Tel: +30 210 4511615	
1.17	Hull & Machinery insured value/expiration date:	10,843,750 US\$	Dec 31, 2021
Classification			
1.18	Classification society:	American Bureau of Shipping	
1.19	Class notation:	+A1, Chemical Carrier, Oil Carrier, ESP, E ,+AMS, +ACCU	
1.20	Is the vessel subject to any conditions of class, class extensions, outstanding memorandums or	No	

	class recommendations? If yes, give details:	Not Applicable			
1.21	If classification society changed, name of previous and date of change:	Not Applicable, Not Applicable			
1.22	Does the vessel have ice class? If yes, state what level:	No, Not Applicable			
1.23	Date/place of last dry-dock:	Jun 15, 2017/Yalova			
1.24	Date next dry dock due/next annual survey due:	Jun 18, 2022	Jan 18, 2022		
1.25	Date of last special survey/next special survey due:	Jun 20, 2017	Jan 18, 2022		
1.26	If ship has Condition Assessment Program (CAP), what is the latest overall rating:	No, Not Applicable			
Dimensions					
1.27	Length overall (LOA):	116.50 Metres			
1.28	Length between perpendiculars (LBP):	109.36 Metres			
1.29	Extreme breadth (Beam):	20.00 Metres			
1.30	Moulded depth:	11.71 Metres			
1.31	Keel to masthead (KTM)/ Keel to masthead (KTM) in collapsed condition, if applicable:	35.92 Metres	35.92 Metres		
1.32	Distance bridge front to center of manifold:	29.00 Metres			
1.33	Bow to center manifold (BCM)/Stern to center manifold (SCM):	57.00 Metres	58.29 Metres		
1.34	Parallel body distances	Lightship	Normal Ballast	Summer Dwt	
	Forward to mid-point manifold:	20.01 Metres	30.36 Metres	33.12 Metres	
	Aft to mid-point manifold:	17.94 Metres	25.16 Metres	34.44 Metres	
	Parallel body length:	37.95 Metres	55.52 Metres	67.50 Metres	
Tonnages					
1.35	Net Tonnage:	3,266.00			
1.36	Gross Tonnage/Reduced Gross Tonnage (if applicable):	7,687.00	6,481		
1.37	Suez Canal Tonnage - Gross (SCGT)/Net (SCNT):	8,469.71	6,613.63		
1.38	Panama Canal Net Tonnage (PCNT):	6,507.00			
Loadline Information					
1.39	Loadline	Freeboard	Draft	Deadweight	Displacement
	Summer:	3.31 Metres	8.41 Metres	11,298.80 Metric Tons	15,020.70 Metric Tons
	Winter:	3.49 Metres	8.23 Metres	10,935.00 Metric Tons	14,657.70 Metric Tons
	Tropical:	3.14 Metres	8.58 Metres	11,676.40 Metric Tonnes	15,383.80 Metric Tons
	Lightship:	9.34 Metres	2.36 Metres	3,600.43 Metric Tons	3,721.90 Metric Tons
	Normal Ballast Condition:	6.78 Metres	4.92 Metres	4,345.00 Metric Tons	7,945.00 Metric Tons
	Segregated Ballast Condition:	6.88 Metres	4.83 Metres	4,391.00 Metric Tons	7,991.00 Metric Tons
1.40	FWA/TPC at summer draft:	182.00 Millimetres		20.60 Metric Tons	
1.41	Does vessel have multiple SDWT? If yes, please provide all assigned loadlines:	No N/A			
1.42	Constant (excluding fresh water):	50.60 Metric Tons			
1.43	What is the company guidelines for Under Keel Clearance (UKC) for this vessel?	10% of deepest draft alongside a berth including SBM. 15% of deepest draft navigating shallow waters or narrow channel. 25% of deepest draft in open waters.			
1.44	What is the max height of mast above waterline (air draft)	Full Mast		Collapsed Mast	
	Summer deadweight:	27.51 Metres	0 Metres		
	Normal ballast:	30.22 Metres	0 Metres		
	Lightship:	33.56 Metres	0 Metres		

2.	CERTIFICATES	Issued	Last Annual	Last Intermediate	Expires
2.1	Safety Equipment Certificate (SEC):	May 01, 2020	Jan 16, 2021	Mar 02, 2020	Jan 18, 2022
2.2	Safety Radio Certificate (SRC):	May 01, 2020	Jan 16, 2021	Feb 20, 2020	Jan 18, 2022
2.3	Safety Construction Certificate (SCC):	Jun 20, 2017	Jan 16, 2021	Mar 08, 2020	Jan 18, 2022
2.4	International Loadline Certificate (ILC):	Apr 13, 2019	Jan 16, 2021	Feb 20, 2020	Jan 18, 2022
2.5	International Oil Pollution Prevention Certificate (IOPPC):	Jun 20, 2017	Jan 16, 2021	Feb 20, 2020	Jan 18, 2022
2.6	International Ship Security Certificate (ISSC):	Feb 02, 2021	N/A	Feb 02, 2021	Apr 10, 2026
2.7	Maritime Labour Certificate (MLC):	Feb 02, 2021	N/A	Feb 02, 2021	Apr 10, 2026
2.8	ISM Safety Management Certificate (SMC):	Feb 02, 2021	N/A	Feb 02, 2021	Apr 10, 2026
2.9	Document of Compliance (DOC):	Nov 6, 2020	Nov 6, 2020	Not Applicable	Nov 07, 2025
2.10	USCG Certificate of Compliance(USCGCOC):	Sep 07, 2019	Sep 12, 2020	Not Applicable	Sep 07, 2021
2.11	Civil Liability Convention (CLC) 1992 Certificate:	Jan 29, 2021	N/A	N/A	Feb 20, 2022
2.12	Civil Liability for Bunker Oil Pollution Damage Convention (CLBC) Certificate:	Jan 29, 2021	N/A	N/A	Feb 20, 2022
2.13	Liability for the Removal of Wrecks Certificate (WRC):	Jan 29, 2021	N/A	N/A	Feb 20, 2022
2.14	U.S. Certificate of Financial Responsibility (COFR):	Nov 13, 2018	N/A	N/A	Nov 13, 2021
2.15	Certificate of Class (COC):	Jun 20, 2017	Jan 16, 2021	Apr 5, 2020	Jan 18, 2022
2.16	International Sewage Pollution Prevention Certificate (ISPPC):	Jun 20, 2017	N/A	N/A	Jan 18, 2022
2.17	Certificate of Fitness (COF):	Dec 24, 2020	Jan 16, 2021	Feb 20, 2020	Jan 18, 2022
2.18	International Energy Efficiency Certificate (IEEC):	Jan 07, 2016	N/A	N/A	N/A
2.19	International Air Pollution Prevention Certificate (IAPPC):	May 01, 2020	Jan 16, 2021	Feb 20, 2020	Jan 18, 2022
Documentation					
2.20	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:				Yes
2.21	Does vessel have in place a Drug and Alcohol Policy complying with OCIMF guidelines for Control of Drugs and Alcohol Onboard Ship?				Yes
2.22	Is the ITF Special Agreement on board (if applicable)?				Yes
2.23	ITF Blue Card expiry date (if applicable):				Jan 04, 2023

3.	CREW		
3.1	Nationality of Master:	Venezuelan	
3.2	Number and nationality of Officers:	8	Filipino, Ukrainian, Russian, Venezuelan
3.3	Number and nationality of Crew:	8	Filipino, Georgian, Ukrainian.
3.4	What is the common working language onboard:	English	
3.5	Do officers speak and understand English?	Yes	
3.6	If Officers/ratings employed by a manning agency - Full style:	Officers: Columbia Shipmanagement LTD 21 Spyrou Kiprianou Ave.Yermasoyia 4042, Limassol,Cyprus Tel: +357 25 320900 Email: Caribe-Maria.crewing@csmcy.com	Ratings: Columbia Shipmanagement LTD 21 Spyrou Kiprianou Ave.Yermasoyia 4042, Limassol,Cyprus Tel: +357 25843100 Email: Caribe-Maria.crewing@csmcy.com

4.	FOR USA CALLS	
4.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter?	Yes
4.2	Qualified individual (QI) - Full style:	O'Brien's Oil Pollution Service

		New Jersey Office 103 MORGAN LANE, SUITE 103 Plainsboro, NJ 08536, USA Telephone: +1-609-275-9600 Email: vrp@wittobriens.com Tel: +1-985-781-0804 Email: commandcenter@wittobriens.com
4.3	Oil Spill Response Organization (OSRO) - Full style:	National Response Corporation 3500 Sunrise Highway Suite T103 Great River NY 11739 Tel: +1 631 224 9141 Fax: +1 631 224 9086
4.4	Salvage and Marine Firefighting Services (SMFF) - Full Style:	T&T Salvage, LLC Tel: +1 281 445 4010 Email: info@ttsalvage.com

5.	SAFETY/HELICOPTER	
5.1	Is the vessel operated under a Quality Management System? If Yes, what type of system? (ISO9001 or IMO Resolution A.741(18) as amended):	Yes ISO 9001:2008
5.2	Can the ship comply with the ICS Helicopter Guidelines?	No
5.2.1	If Yes, state whether winching or landing area provided:	
5.2.2	If Yes, what is the diameter of the circle provided:	0 Metres

6.	COATING/ANODES				
6.1	Tank Coating	Coated	Type	To What Extent	Anodes
	Cargo tanks:	Yes	Marine Line	Whole Tank	No
	Ballast tanks:	Yes	Sigma prime 200	Whole Tank	Yes
	Slop tanks:	Yes	Marine Line	Whole Tank	No

7.	BALLAST				
7.1	Pumps	No.	Type	Capacity	At What Head (sg=1.0)
	Ballast Pumps:	2	Centrifugal	250 Cu. Metres/Hour	25 Metres
	Ballast Eductors:	1	Other	130 Cu. Metres/Hour	10 Metres

8.	CARGO				
Double Hull Vessels					
8.1	Is vessel fitted with centerline bulkhead in all cargo tanks? If Yes, solid or perforated:			Yes, Solid	
Cargo Tank Capacities					
8.2	Number of cargo tanks and total cubic capacity (98%):			10	12,244.68 Cu. Metres
8.2.1	Capacity (98%) of each natural segregation with double valve (specify tanks):			Seg#1:1459.718m3(1p+1s) Seg#2:1493.900m3(2p) Seg#3:1487.900m3(2s) Seg#4:742.300m3(3p) Seg#5:740.900m3(3s) Seg#6:1597.700m3(4p) Seg#7:1595.8m3(4s) Seg#8:2461.129m3(5p+5s) Seg#9:665.300m3(Slopp+Slops)	
8.2.2	IMO class (Oil/Chemical Ship Type 1, 2 or 3):			2	
8.3	Number of slop tanks and total cubic capacity (98%):			2	665.30 Cu. Metres

8.3.1	Specify segregations which slops tanks belong to and their capacity with double valve:	Seg#9: 665.3 (P&S)	
8.3.2	Residual/retention oil tank(s) capacity (98%), if applicable:	22 Cu. Metres	
SBT Vessels			
8.3.3	What is total SBT capacity and percentage of SDWT vessel can maintain?	4,238.00 Cu. Metres	38.00 %
8.3.4	Does vessel meet the requirements of MARPOL Annex I Reg 18.2:	Yes	
Cargo Handling and Pumping Systems			
8.4	How many grades/products can vessel load/discharge with double valve segregation:	10	
8.4.1	State type of cargo containment (integral, independent, gravity or pressure tanks):	2G (Integral Gravity)	
8.5	Are there any cargo tank filling restrictions? If yes, specify number of slack tanks, max s.g., ullage restrictions etc.:	Yes SG 1.53 - 0-67 pct, SG 1.60 - 0-64 pct, SG 1.66 - 0-62 pct Designated max loading rate 1320 cbm/hr Homogenous cargo max loading rate using N2 Plant - 752 cbm/hr One any cargo tank max loading rate 330 cbm/hr One slop tank max loading rate 135 cbm/hr	
8.6	Max loading rate for homogenous cargo	With VECS	Without VECS
	Loaded per manifold connection:	660 Cu. Metres/Hour	660 Cu. Metres/Hour
	Loaded simultaneously through all manifolds:	1,140 Cu. Metres/Hour	1,320.00 Cu. Metres/Hour
Cargo Control Room			
8.7	Is ship fitted with a Cargo Control Room (CCR)?	Yes	
8.8	Can tank innage/ullage be read from the CCR?	Yes	
Gauging and Sampling			
8.9	Is gauging system certified and calibrated? If no, specify which ones are not calibrated:	Yes, n/a	
	What type of gauging system as per IBC 13.1 is fitted (Open/Restricted/Closed)?	Closed	
	What type of fixed closed tank gauging system is fitted:	Radar	
	Is a tank overflow control system fitted? If yes, then state if system includes automatic closing of valves?	Yes, No	
	Are high level alarms fitted to the cargo tanks? If Yes, indicate whether to all tanks or partial:	Yes, All	
8.9.1	Can cargo be transferred under closed loading conditions in accordance with ISGOTT 11.1.6.6?	Yes	
8.9.2	Are cargo tanks fitted with multipoint gauging? If yes, specify type and locations:	No, n/a	
8.10	Number of portable gauging units (example- MMC) on board:	3	
Vapor Emission Control System (VECS)			
8.11	Is a vapour return system (VRS) fitted?	Yes	
8.12	Number/size of VECS manifolds (per side):	2	150 Millimetres
8.13	Number/size/type of VECS reducers:	2 / 6x8 inches / Ansi type	
Venting			
8.14	State what type of venting system is fitted:	P/V Valves	
Cargo Manifolds and Reducers			
8.15	Total number/size of cargo manifold connections on each side:	10/300.00 Millimetres	
8.15.1	Does the vessel have a Common Line Manifold connection? If yes, describe:	Yes, 300mm	
8.16	What type of valves are fitted at manifold:	Butterfly	
8.17	What is the material/rating of the manifold:	SUS 316L Stainless Steel/ANSI	
8.17.1	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment'?	Yes	
8.18	Distance between cargo manifold centers:	800.00 Millimetres	
8.19	Distance ships rail to manifold:	3,175.00 Millimetres	
8.20	Distance manifold to ships side:	3,500.00 Millimetres	
8.21	Top of rail to center of manifold:	810.00 Millimetres	

8.22	Distance main deck to center of manifold:	2,100.00 Millimetres		
8.23	Spill tank grating to center of manifold:	750.00 Millimetres		
8.24	Manifold height above the waterline in normal ballast/at SDWT condition:	8.97 Metres	5.40 Metres	
8.25	Number/size/type of reducers:	2 x 100/150mm (4/6") 1 x 150/200mm (6/8") 4 x 200/250mm (8/10") 1 x 250/300mm (10/12") 7 x 300/150mm (12/6") ANSI		
8.26	Is vessel fitted with a stern manifold? If yes, state size:	No, 0 Millimetres		

Heating

8.27	Cargo/slop tanks fitted with a cargo heating system?	Type	Coiled	Material
	Cargo Tanks:	Coil	Yes	SS
	Slop Tanks:	Coil	Yes	SS
8.27.1	Is a Thermal Oil Heating system fitted? If yes, identify tanks?	No, n/a		
8.28	Maximum temperature cargo can be loaded/maintained:	60.0 °C / 140.0 °F	60 °C / 140 °F	
8.28.1	Minimum temperature cargo can be loaded/maintained:			

Inert Gas and Crude Oil Washing

8.29	Is an Inert Gas System (IGS) fitted/operational?	No/N/A		
8.29.1	Is a Crude Oil Washing (COW) installation fitted/operational?	No/N/A		
8.30	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:	Nitrogen (Bottled)		
8.30.1	If nitrogen generator, specify the applicable flow rate for each of the designed purity modes:	n/a		

Cargo Pumps

8.31	How many cargo pumps can be run simultaneously at full capacity:	4			
8.32	Pumps	No.	Type	Capacity	At What Head (sg=1.0)
	Cargo Pumps:	10 2	Centrifugal Centrifugal	300 M3/HR 100 M3/HR	110 Meters 110 Meters
	Cargo Eductors:	0	N/A	0 Cu. Metres/Hour	0 Metres
	Stripping:	0	N/A	0 Cu. Metres/Hour	0 Metres
8.33	Is at least one emergency portable cargo pump provided?	Yes			

Tank Cleaning Systems

8.34	Is tank cleaning equipment fixed in cargo tanks?	Yes
8.35	Is portable tank cleaning equipment provided?	Yes
8.36	Tank washing pump capacity:	60.00 Cu. Metres/Hour
8.37	Is a washing water heater fitted? If yes is it operational and state max washing water temperature:	Yes, Yes 80.00 Degrees Celsius
8.38	What is the maximum number of machines that can be operated at their designed max pressure?	3

Other Deck Equipment

8.39	Is vessel fitted with a remote cargo tank temperature monitoring system. If yes, is it operational?	Yes, Yes
8.40	Is vessel fitted with a remote cargo tank pressure monitoring system. If yes, is it operational?	Yes, Yes
8.41	Is vessel fitted with a cargo tank drier. If yes is it operational and state capacity:	Yes, Yes 7,600.00 Cu. Metres/Hour
8.42	Is vessel fitted with a cargo cooling system. If yes is it operational and state tanks applicable:	No, N/A n/a
8.43	Is steam available on deck?	Yes

9.	MOORING					
9.1	Wires (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					

	Poop deck:					
9.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:					
	Main deck fwd:					
	Main deck aft:					
	Poop deck:					
9.3	Ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	40.00 Millimetres	Polyester	220.00 Metres	30.00 Metric Tons
	Main deck fwd:					
	Main deck aft:					
	Poop deck:	4	40.00 Millimetres	Polyester	220.00 Metres	35.10 Metric Tons
9.4	Other lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	40.00 Millimetres	Polyester	220.00 Metres	35.10 Metric Tons
	Main deck fwd:					
	Main deck aft:					
	Poop deck:	4	40.00 Millimetres	Polyester	220.00 Metres	35.10 Metric Tons
9.5	Winches	No.	No. Drums	Motive Power	Brake Capacity	Type of Brake
	Forecastle:	2	DbI	Hydraulic	16.00 Metric Tons	Brake Linear
	Main deck fwd:					
	Main deck aft:					
	Poop deck:	2	DbI	Hydraulic	16.00 Metric Tons	Brake Linear
9.6	Bitts, closed chocks/fairleads		No. Bitts	SWL Bitts	No. Closed Chocks	SWL Closed Chocks
	Forecastle:		4	27 Metric Tons	2	46 MT / 64 MT
	Main deck fwd:		2	27 Metric Tons	2	27 Metric Tons
	Main deck aft:		2	27 Metric Tons	2	27 Metric Tons
	Poop deck:		6	27 Metric Tons	4	46 MT / 64 MT
Anchors/Emergency Towing System						
9.7	Number of shackles on port/starboard cable:				10/10	
9.8	Type/SWL of Emergency Towing system forward:				n/a	0 Metric Tons
9.9	Type/SWL of Emergency Towing system aft:				n/a	0 Metric Tons
9.10.1	What is size of closed chock and/or fairleads of enclosed type on stern				n/a	
Escort Tug						
9.10.2	What is SWL of closed chock and/or fairleads of enclosed type on stern:				46.00 Metric Tons	
9.11	What is SWL of bollard on poop deck suitable for escort tug:				27.00 Metric Tons	
Lifting Equipment/Gangway						
9.12	Derrick/Crane description (Number, SWL and location):				Cranes: 1 x 5.00 Tons 1 Center 5 Metric Tons 1 PS AFT 2.2 Metric Tons 1 STB AFT 2.2 Metric Tons	
9.13	Accommodation ladder direction:				Aft	
	Does vessel have a portable gangway? If yes, state length:				Yes, 10 Metres	
Single Point Mooring (SPM) Equipment						
9.14	Does the vessel meet the recommendations in the latest edition of OCIMF 'Recommendations for Equipment Employed in the Bow Mooring of Conventional Tankers at Single Point Moorings (SPM)':?				No	
9.15	If fitted, how many chain stoppers:				0	
9.16	State type/SWL of chain stopper(s):				n/a	0 Metric Tons
9.17	What is the maximum size chain diameter the bow stopper(s) can handle:				0 Millimetres	
9.18	Distance between the bow fairlead and chain stopper/bracket:				0 Metres	
9.19	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:				N/A n/a	

10.	PROPULSION		
10.1	Speed		Maximum Economical
	Ballast speed:	14.00 Knots (WSNP)	12.50 Knots (WSNP)
	Laden speed:	13.50 Knots (WSNP)	12.00 Knots (WSNP)
10.2	What type of fuel is used for main propulsion/generating plant:	LSMGO	LSMGO
10.3	Type/Capacity of bunker tanks:	Fuel Oil: 813.30 Cu. Metres Diesel Oil: 93.10 Cu. Metres Gas Oil: 0 Cu. Metres	
10.4	Is vessel fitted with fixed or controllable pitch propeller(s):	Fixed	
10.5	Engines	No	Capacity Make/Type
	Main engine:	1	5,400 Kilowatt STX MAN B&W 6S35MC
	Aux engine:	3	450 Kilowatt STX MAN B&W Holeby %L16/24
	Power packs:	3	6,950 Cu. Metres Framo
	Boilers:	1	5,400.00 Metric Tonnes/Hour Kangrim / PA0404P38
Bow/Stern Thruster			
10.6	What is brake horse power of bow thruster (if fitted):	Yes, 611.00 bhp	
10.7	What is brake horse power of stern thruster (if fitted):	No, n/a	
Emissions			
10.8	Main engine IMO NOx emission standard:	Tier I	
10.9	Energy Efficiency Design Index (EEDI) rating number:	n/a	

11.	SHIP TO SHIP TRANSFER		
11.1	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum, Chemicals or Liquefied Gas, as applicable)?	Yes	
11.2	What is maximum outreach of cranes/derricks outboard of the ship's side:	7.50 Metres	
11.3	Date/place of last STS operation:	NIL	

12.	RECENT OPERATIONAL HISTORY		
12.1	Last three cargoes/charterers/voyages (Last/2nd Last/3rd Last):		
12.2	Has vessel been involved in a pollution, grounding, serious casualty, unscheduled repair or collision incident during the past 12 months? If yes, provide details:	Pollution: No, NA Grounding: No, NA Casualty: No, NA Repair: No, n/a Collision: No, NA	
12.3	Date and place of last Port State Control inspection:	Sep 12, 2020 / Houston	
12.4	Any outstanding deficiencies as reported by any Port State Control? If yes, provide details:	No N/A	
12.5	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: <i>* "Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.</i>	To the best of owners knowledge and without guarantee vessel considered acceptable to all oil majors.	
12.6	Date/Place of last SIRE inspection:	Feb 08, 2021 / Altamira	
12.6.1	Date/Place of last CDI inspection:	Jan 28, 2021 / Beaumont	
12.7	Additional information relating to features of the ship or operational characteristics:	no	

